

## TEST REPORT

APPLICANT : SPIGEN HQ  
ADDRESS : 12F, 446, Bongeunsa-ro, Gangnam-gu,  
Seoul, Korea

PAGE: 1 of 8

REPORT NO. RT23R-S2754-001-E

DATE: May 15, 2023

SAMPLE DESCRIPTION : The following submitted sample(s) said to be:-

NAME/TYPE OF PRODUCT : A601/A610  
SAMPLE ID NO. : RT23R-S2754-001  
ITEM NO. : White TPU  
MANUFACTURER/VENDOR : SPIGEN HQ

SAMPLE RECEIVED : May 08, 2023  
TESTING DATE : May 08, 2023 ~ May 15, 2023

TEST METHOD(S) : Please see the following page(s).  
TEST RESULT(S) : Please see the following page(s).

- \* Note 1 : The test results presented in this report refer only to the object tested.
- \* Note 2 : This report shall not be reproduced except in full without the written approval of the testing laboratory.
- \* Note 3 : The item no. is assigned by client and indicated according to their requirement and guarantee letter.

Approved by,



Jade Jang / Lab. Technical Manager

Authorized by,



Bo Park / Lab. General Manager



Authenticity check



## TEST REPORT

PAGE: 2 of 8  
DATE: May 15, 2023

REPORT NO. RT23R-S2754-001-E

SAMPLE ID NO. : RT23R-S2754-001

SAMPLE DESCRIPTION : A601/A610

TEST ITEM	UNIT	TEST METHOD	MDL	RESULT
Bisphenol A (BPA)	mg/kg	With reference to US EPA 3550C, determined by LC/MS or LC/MS/MS	1	N.D.

Tested by : Hayan Park

Notes : mg/kg = ppm = parts per million  
< = Less than  
N.D. = Not detected ( <MDL )  
MDL = Method detection limit

Intertek Testing Services Korea Ltd.  
Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0025 Web Site : [intertek.co.kr](http://intertek.co.kr)  
Seoul Lab. Address : 7, Ahasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea



※ You can verify the forgery and authenticity by the barcode at the end of this document.

## TEST REPORT

REPORT NO. RT23R-S2754-001-E

SAMPLE ID NO. : RT23R-S2754-001

SAMPLE DESCRIPTION : A601/A610

TEST ITEM	CAS NO.	UNIT	TEST METHOD	MDL	RESULT
Dibutyl phthalate (DBP)	84-74-2	mg/kg	With reference to IEC 62321-8 Edition 1.0 : 2017, by solvent extraction and determined by GC/MS	50	N.D.
Di(2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg		50	N.D.
Di-n-octyl phthalate (DNOP)	117-84-0	mg/kg		50	N.D.
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	mg/kg		100	N.D.
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	mg/kg		100	N.D.
Benzyl butyl phthalate (BBP)	85-68-7	mg/kg		50	N.D.
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg		50	N.D.
Dimethyl phthalate (DMP)	131-11-3	mg/kg		50	N.D.
Diethyl phthalate (DEP)	84-66-2	mg/kg		50	N.D.
Di-n-pentyl phthalate (DPP)	131-18-0	mg/kg		50	N.D.
Di-n-hexyl phthalate (DNHP)	84-75-3	mg/kg		50	N.D.
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	mg/kg		50	N.D.

Tested by : Hayan Park

Notes : mg/kg = ppm = parts per million  
 < = Less than  
 N.D. = Not detected ( <MDL )  
 MDL = Method detection limit

Intertek Testing Services Korea Ltd.

Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0025 Web Site : [intertek.co.kr](http://intertek.co.kr)

Seoul Lab. Address : 7, Ahasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea



※ You can verify the forgery and authenticity by the barcode at the end of this document.

## TEST REPORT

REPORT NO. RT23R-S2754-001-E

SAMPLE ID NO. : RT23R-S2754-001

SAMPLE DESCRIPTION : A601/A610

TEST ITEM	CAS NO.	UNIT	TEST METHOD	MDL	RESULT
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	mg/kg	With reference to IEC 62321-8 Edition 1.0 : 2017, by solvent extraction and determined by GC/MS	50	N.D.
Di(2-methoxyethyl) phthalate (DMEP)	117-82-8	mg/kg		50	N.D.
Diisopentyl phthalate (DIPP)	605-50-5	mg/kg		50	N.D.
N-pentyl-isopentylphthalate (NPIP)	776297-69-9	mg/kg		50	N.D.
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	mg/kg		50	N.D.
1,2-Benzenedicarboxylic acid, dihexylester, branched and linear	68515-50-4	mg/kg		50	N.D.
Hexahydromethylphthalic anhydride <sup>1)</sup> , Hexahydro-4-methylphthalic anhydride <sup>2)</sup> , Hexahydro-1-methylphthalic anhydride <sup>3)</sup> , Hexahydro-3-methylphthalic anhydride <sup>4)</sup> *	25550-51-0 19438-60-9 48122-14-1 57110-29-9	mg/kg		100	N.D.
1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate	68515-51-5 68648-93-1	mg/kg		100	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	mg/kg		50	N.D.
Orthophthalic acid (1,2-benzenedicarboxylic acid)	88-99-3	mg/kg		50	N.D.

Tested by : Hayan Park

Notes : mg/kg = ppm = parts per million  
 < = Less than  
 N.D. = Not detected ( <MDL )  
 MDL = Method detection limit

\* The individual isomers 2), 3) and 4) (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers 1) are covered by this entry.

Intertek Testing Services Korea Ltd.

Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0025 Web Site : [intertek.co.kr](http://intertek.co.kr)

Seoul Lab. Address : 7, Ahasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea



※ You can verify the forgery and authenticity by the barcode at the end of this document.

## TEST REPORT

REPORT NO. RT23R-S2754-001-E

SAMPLE ID NO. : RT23R-S2754-001

SAMPLE DESCRIPTION : A601/A610

TEST ITEM	CAS NO.	UNIT	TEST METHOD	MDL	RESULT
Diisohexyl phthalate (DIHxP)	71850-09-4	mg/kg	With reference to IEC 62321-8 Edition 1.0 : 2017, by solvent extraction and determined by GC/MS	50	N.D.
Di-iso-octylphthalate (DIOP)	27554-26-3	mg/kg		50	N.D.
Dinonyl phthalate (DNP)	84-76-4	mg/kg		50	N.D.
Dipropyl phthalate (DPRP)	131-16-8	mg/kg		50	N.D.
Monobutyl phthalate (MBP)	131-70-4	mg/kg		50	N.D.
Diocetyl tere-phthalate (DOTP/DEHT)	6422-86-2	mg/kg		50	N.D.
Di(4-methyl-2-pentyl) phthalate(BMPP)	146-50-9	mg/kg		50	N.D.
Bis(2-n-butoxyethyl) Phthalate (BBEP)	117-83-9	mg/kg		50	N.D.
Diheptyl phthalate (DHP)	3648-21-3	mg/kg		50	N.D.
(Diundecyl phthalate (DUP)	3648-20-2	mg/kg		50	N.D.
bis(4-metyl-2-pentyl)phthalate	84-63-9	mg/kg		50	N.D.
Dipropylheptyl phthalate (DPHP)	53306-54-0	mg/kg		50	N.D.

Tested by : Hayan Park

Notes : mg/kg = ppm = parts per million  
 < = Less than  
 N.D. = Not detected ( <MDL )  
 MDL = Method detection limit

Intertek Testing Services Korea Ltd.

Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0025 Web Site : [intertek.co.kr](http://intertek.co.kr)

Seoul Lab. Address : 7, Ahasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea



※ You can verify the forgery and authenticity by the barcode at the end of this document.

## TEST REPORT

PAGE: 6 of 8  
DATE: May 15, 2023

REPORT NO. RT23R-S2754-001-E

SAMPLE ID NO. : RT23R-S2754-001

SAMPLE DESCRIPTION : A601/A610

\* View of sample as received;-



Intertek Testing Services Korea Ltd.  
Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0025 Web Site : [intertek.co.kr](http://intertek.co.kr)  
Seoul Lab. Address : 7, Ahasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea



※ You can verify the forgery and authenticity by the barcode at the end of this document.


## TEST REPORT

REPORT NO. RT23R-S2754-001-E

SAMPLE ID NO. : RT23R-S2754-001

SAMPLE DESCRIPTION : A601/A610

### Flow Chart (BPA)



## TEST REPORT


PAGE: 8 of 8  
DATE: May 15, 2023

REPORT NO. RT23R-S2754-001-E

SAMPLE ID NO. : RT23R-S2754-001

SAMPLE DESCRIPTION : A601/A610

### Flow Chart (Phthalates)



\*\*\*\*\* End of Report \*\*\*\*\*

*Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.*

*This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.*

*This report shall not be reproduced, except in full.  
This report is not related to the scope of Korea Laboratory Accreditation Scheme.*

Intertek Testing Services Korea Ltd.  
Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0025 Web Site : [intertek.co.kr](http://intertek.co.kr)  
Seoul Lab. Address : 7, Ahasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea



※ You can verify the forgery and authenticity by the barcode at the end of this document.